







ANGELBIRD.COM

TODAY'S ENDLESS BIT DEPTH, HIGH FRAME RATES, AND HIGH RESOLUTIONS—4K AND BEYOND—REQUIRE STORAGE SOLUTIONS THAT ARE JUST AS ADVANCED. MEMORY CARDS NEED TO BE FAST, HIGH-CAPACITY, WIDELY COMPATIBLE AND, OF COURSE, EXTREMELY RELIABLE. OUR AV PRO SD CARDS ARE BUILT TO MEET THOSE DEMANDING CRITERIA, NOT ONLY FOR DSLR SYSTEMS BUT ALSO WITH DRONES, WHERE EXTREMES OF TEMPERATURE AND HUMIDITY, AS WELL AS SHOCK, ARE COMMON CHALLENGES.

#### SPECIFICATIONS AND FEATURES



Sustained read speed 300 MB/s Sustained write speed 260 MB/s



X-ray & magnetic proof





64GB | 128GB | 256GB



Shock, dust, water, temperature proof



SDXC <sup>™</sup> | UHS-II | U3 | Class 10 | V90



Water proof



Records full HD, 3D and 4K video



Sticker-free ™



Stable Stream ™



Built-in write-protect switch



Operation: -25°C | 85°C Storage: -40°C | 85°C

# SPECIFICATIONS / ORDERING

### GENERAL SPECIFICATIONS

Capacity 64 GB | 128 GB | 256 GB

Dimensions  $32.0 \times 24.0 \times 2.1 \,\text{mm}$   $(1.26 \times 0.94 \times 0.08 \,\text{in})$ 

Form Factor SD

Weight ~ 2.0 g

## TECHNICAL SPECIFICATIONS

Interface SDXC™, SD 4.0, UHS-II

**Features** 

Write protection by mechanical switch, wear leveling, power management for low power usage, ECC, water resistant

### PERFORMANCE SPECIFICATIONS

Sustained Read Speed <sup>1</sup> 300 MB/s

Sustained Write Speed <sup>1</sup> 260 MB/s

#### RELIABILITY SPECIFICATIONS

Data Reliability ECC function

Certifications RoHS, CE, FCC

# ELECTRICAL SPECIFICATIONS

DC input voltage  $1.8V \pm 5\%$ 

Power usage (idle/max) 2mW / 1.2W

# ENVIRONMENTAL SPECIFICATIONS

Operating Temperature  $-20 \,^{\circ}\text{C} \sim +85 \,^{\circ}\text{C}$ 

Storage Temperature  $-40 \,^{\circ}\text{C} \sim +85 \,^{\circ}\text{C}$ 

Operating Humidity 25 % to 85 % non-condensing

#### WARRANTY<sup>2</sup>

3-year limited warranty

#### **PACKAGE CONTENT**

- AV PRO SD
- Label sticker
- Activation code for the full limited warranty and additional free software licenses and content

### **RETAIL PACKAGING DETAILS**

Box dimension  $113.0 \times 102.0 \times 10.5 \, \text{mm}$   $(4.45 \times 4.02 \times 0.41 \, \text{in})$ 

Weight

 $\sim$  16.0 g |  $\sim$  0.56 oz.

- <sup>1</sup> Speed based on internal testing
- To receive the full limited warranty, the product needs to be registered on the Angelbird Personal Service Portal within 30 days after purchase. If not registered within this period, the market-specific legal guarantee period comes into force.
- For an up-to-date compatibility list, please visit the product site at www.angelbird.com

Blackmagic Design  ${\bf @}$  is a registered trademark of Blackmagic Design Pty. Ltd.

Canon® is a registered trademark of Canon Inc.
Sony® is a registered trademark of Sony Corporation.
NIKON is a trademark of NIKON CORPORATION.
Fujifilm® is a registered trademark of Fujifilm.
Hasselblad® is a registered trademark of Hasselblad.
PANASONIC® is a registered trademark of Hasselblad.
PANASONIC® is a registered trademark of Panasonic Corp.
Leica® is a registered trademark of Leica Microsystems IR GmbH.
Pentax is trademark of HOYA Corporation.
Olympus® is a registered trademark of Olympus Corporation.
LUMIX® is a registered trademark of Panasonic Corporation.
All other marks are property of their respective owners.

Works with 3

Canon | Sony | Leica | Nikon | Fujifilm | Blackmagic Design | Hasselblad | Pentax | Panasonic | Olympus | Lumix | and others

### ORDERING INFORMATION

•	Capacity	SKU	EAN	UPC
_				
•	64GB	AVP064SD	9120056583324	812937022143
•	2 × 64GB	AVP064SDX2	9120056583454	812937022273
•	128GB	AVP128SD	9120056583331	812937022150
•	2 × 128GB	AVP128SDX2	9120056583461	812937022280
•	256GB	AVP256SD	9120056583348	812937022167
•	2 × 256GB	AVP256SDX2	9120056583478	812937022297